

Publikationen

Plasma Concentration of Elastase- α_1 -Proteinaseinhibitor Complex in Surfactant-treated Preterm Neonates with Respiratory Distress Syndrome

Tegtmeyer FK, Möller J, Richter A, Wilken B, Fischer T
Eur Respir J 1994;7, 260-264

Dynamic Training of Skeletal Muscle Ventricles for Cardiac Assist – A Chronic Study in Calves and Adult Goats

Guldner NW, Klapproth P, Fischer T, Keller R, Sievers HH
Concerted Action Heart, Skeletal Muscle Assist Working Group, Sirmione Italy 1994:31-33
ISBN 88-86219-01-06

What Aspects of a Dynamic Training of Skeletal Muscle Ventricles may be Transferred to an “Advanced Cardiomyoplasty Procedure”

Guldner NW, Fischer T, Klapproth P, Krischer H, Sievers HH
Concerted Action Heart, Skeletal Muscle Assist Working Group, Maastricht 1994: 17 –20
ISBN 88-86219-03-2

Energy Adapted Training of Skeletal Muscle Ventricles

Guldner NW, Klapproth P, Fischer T, Klempien I, Keller R, Sievers HH
Concerted Action Heart, Skeletal Muscle Assist Working Group, Florence 1995: 31-33
ISBN 88-86219-04-03

Stroke Volume, Load and Daily Energy during A Dynamic Training of Skeletal Muscle Ventricles in Adult Goats

Guldner NW, Fischer T, Klapproth P, Rumpel E, Noel R, Kuppe H, Sievers HH
Basic and Applied Myology 6/1996

New method for monitoring the functional state of a dynamic cardiomyoplasty

Guldner NW, Klapproth P, Hasenkam J, Fischer T, Keller R, Noel R, Sievers HH
J Thorac Cardiovasc Surgery 1997; 114(6), 1097-1106

Oxygenation and lung morphology in a rabbit pediatric ARDS-model under high peak pressure ventilation plus nitric oxide and surfactant compared with venovenous ECMO

Möller J, Reiss I, Schaible T, Fischer T, Nitsche E, Krüger S
Int J Artif Organs 1999; 22(11): 747-53

Continous Monitoring of cardiac output in neonates using an intraaortic Doppler probe

Ewert P, Nagdyman N, Fischer T, Gortner L, Lange PE
Cardiol Y 1999; 9(1): 42-48

The effect of continous treatment with sodium nitroprusside on the serum kinetics of the brain marker protein S-100 β in neonates undergoing corrective cardiac surgery by means of hypothermic cardiopulmonary bypass

Abdul-Khaliq H, Schubert S, Fischer T, Böttcher W, Alexi-Meskishvilli W, Lange P, Blasig E
Clin Chem Lab Med 2000;38(11):1173-1175

Correction of cor triatriatum sinistrum in Jehovah’s witness infant.

Alexi-Meskishvilli V, Ovroutski S, Dähnert I, Fischer T
Eur J Cardiothorac Surg 2000;18(6):724-726

Capillary leak syndrome in children who undergo cardiopulmonary bypass : clinical outcome in comparison with complement activation and C1-inhibitor

Stiller B, Sonntag J, Dähnert I, Alexi-Meskishvilli V, Hetzer R,, Fischer T, Lange PE
Intensive Care Med 2001;27(1):193-200

Anticoagulation during cardiopulmonary bypass in patients with heparin-induced thrombocytopenia type II and renal impairment using heparin and the platelet glycoprotein IIb/IIIa antagonist tirofiban

Koster A, Kukucka M, Bach F, Meyer O, Fischer T, Mertzlufft F, Loebe M, Hetzer R, Kuppe H
Anesthesiology 2001;94:245-51

Hemorheology and renal function during cardiopulmonary bypass in infants.

Dittrich S, Priesemann M, Fischer T, Boettcher W, Müller C, Dähnert I, Ewert P, Alexi-Meskishvili V, Lange PE

Cardiol Young 2001; 11(5): 491 – 497

One Year Experience with the Platelet GP IIb/IIIa Antagonist Tirofiban and Heparin during Cardiopulmonary Bypass in Patients with Heparin-Induced Thrombocytopenia Type II

Koster A, Meyer O, Fischer T, Kukucka M, Krabatsch T, Bauer M, Kuppe H, Hetzer R
J Thorac Cardiovasc Surg 2001; 122(6): 1254-5

Evaluation of Post-CPB Coagulation Disorders by Differential Diagnosis with a Multi-Channel Modified Thrombelastogram – A Pilot Investigation –

Koster A, Kukucka M, Fischer T, Kuppe H, Hetzer R
J of ExtraCorpTech 2001; 33(3): 153-58

Assessment of the Resonance-Thrombograph CS-3 for Differentiation of Coagulation Disorders – A Pilot in vitro Investigation of Simulated Post-CPB Coagulopathies

Koster A, Hansen R, Schulz J, Kukucka M, Fischer T, Kuppe H
J of ExtraCorpTech 2001; 33(3): 159-66

Circulatory arrest and renal function in open-heart surgery on infants.

Dittrich S, Priesemann M, Fischer T, Boettcher W, Müller C, Alexi-Meskishvili V, Lenge PE
Pediatric Cardiology 2002; 23(1): 15 - 19

Inhibition der mekoniuminduzierten Aktivierung neutrophiler Granulozyten durch Pentoxyfillin im Vollblut Neugeborener und Erwachsener.

Tegtmeyer FK, Heilemann A, Reiss I, Fischer T
Klin Pädiatr 2002;214:347 352

Lung protection during total cardiopulmonary bypass by isolated lung perfusion: preliminary results of a novel perfusion strategy.

Sievers HH, Freund-Kaas C, Eleftheriadis S, Fischer T, Kuppe H, Kraatz E, Bechtel JF
Ann Thorac Surg 2002; 74(4): 1167 - 72

Hemostatic activation and inflammatory response during cardiopulmonary bypass: impact of heparin management.

Koster A, Fischer T, Praus M, Haberzettl H, Kuebler WM, Hetzer R, Kuppe H
Anesthesiology 2002;97(4): 837-41

The plasma supplemented modified activated clotting time for monitoring of heparinization during cardiopulmonary bypass: pilot investigation.

Koster A, Despotis G, Gruendel M, Fischer T, Praus M, Kuppe H, Levy JH
Anesth Analg. 2002; 95(1): 26 – 30

Inhibition of meconium induced activation of granulocytes from neonates and adults by pentoxyphilline

Tegtmeyer FK, Heilemann A, Reiss I, Fischer T
Klin Padiatr. 2002 Nov; 214 (6): 347-52

The MicroMed DeBakey VAD - Part I: The pump and the blood flow.

Potapov EV, Koster A, Loebe M, Hennig E, Fischer T, Sodrian R, Hetzer R.
Journal of Extra-Corporeal Technology 2003; 35(4): 274-283.

Management of heparin resistance during cardiopulmonary bypass: The effect of five different anticoagulation strategies on hemostatic activation.

Koster A, Fischer T, Gruendel M, Mappes A, Kuebler W, Bauer M, Kuppe H
J Cardiothorac Vasc Anesth 2003; 17(2): 171 – 75

The MicroMed DeBakey VAD – Part II; Impact on the Hemostatic Systems

Fischer T, Koster A, Potapov E, Gutsch E, Loebe M, Hetzer R, Kuppe H
J of ExtraCorpTech 2003;

A combined stage 1 and 2 repair for hypoplastic left heart syndrome: anaesthetic considerations

Fischer T

Pediatric Anesthesia 2004; 14: 524 - 532

Einheitlicher Mindeststandard für die Versorgung Brandverletzter durch den Rettungsdienst

Merbs R, Aul A, Blau J, Fischer T, Kann D, Kersten D, Klose R, Kortüm S, Krakowka B, Lenz W, Menke H

Rettungsdienst 2004 (9): 868 – 873

Impact of heparin management on release of tissue factor pathway inhibitor during cardiopulmonary bypass

Fischer T, Kuppe H, Koster A

Anesthesiology. 2004 Apr;100(4):1040

Emergency airway management by first responders with the laryngeal tube – intuitive and repetitive use in a manikin

H. V. Genzwuerker, J. Oberkinkhaus, T. Finteis, H. Kerger, C. Gernoth, J. Hinkelbein

Dezember 2005, Akuttjournalen – Scand J Trauma Resusc Emerg Med 2005;13:212-217

Relevance of depth resolution for cerebral blood flow monitoring by near-infrared spectroscopic bolus tracking during cardiopulmonary bypass.

Steinbrink J, Fischer T, Kuppe H, Hetzer R, Uludag K, Obrig H, Kuebler WM

J Thorac Cardiovasc Surg 2006. Nov; 132(5): 1172-8

Vergleich von zwei Larynxmaskenmodellen zur Atemwegssicherung bei Patienten mit Immobilisation der Halswirbelsäule

C. Gernoth, O. Jandewerth, M. Contzen, J. Hinkelbein, H. Genzwürker

Der Anaesthesist 2006;55:263-269

Prospective randomized comparison of the new Laryngeal Tube Suction LTS II and the LMA-ProSeal for elective surgical interventions.

H.V. Genzwuerker, S. Altmayer, J. Hinkelbein, C. Gernoth, T. Viergutz, H. Ocker

Acta Anaesthesiol Scand 2007;51:1373-1377

Respiratory and haemodynamic changes during decremental open lung positive and end-expiratory pressure titration in patients with acute respiratory distress syndrome.

Gernoth C, Wagner G, Pelosi P, Luecke T.

Critical Care 2009;13(2):R59.

**Perioperatives CSI-Monitoring bei kleineren kinderchirurgischen Eingriffen – sinnvolles Instrument zur Überwachung der Hypnosetiefe bei Kleinkindern ?
Perioperative CSI-Monitoring in minor pediatric surgery – is it a useful tool for supervising the level of sedation in infants?**

C Gernoth, I. Spiesberger-Heinrich, H. Ochmann, A. Schläfer, E. Thil
Anästh. und Intensivmed. Mai 2010, 266-272

Influence of an Impedance Threshold Valve on ventilation with supraglottic airway devices during cardiopulmonary resuscitation in a manikin

H.V. Genzwuerker, C. Gernoth, J. Hinkelbein, W. Schmidbauer, T. Kerner
Resuscitation 2010 Aug;81:1010-1013 [Epub 2010 May 14]

Laryngeal Tube: a review of current literature

H. V. Genzwuerker, C. Gernoth
ASEAN Journal of Anaesthesiology 2011;12:22-33

**Endotracheal tubes in pediatric patients: Published formulas to estimate the optimal size.
Formeln zur Abschätzung des optimalen Durchmessers von Endotrachealtuben bei Kindern – Eine Übersichtsarbeit über publizierte Formeln zur Größenbestimmung.**

M. v. Rettberg, E. Thil, H. Genzwürker, C. Gernoth, J. Hinkelbein
Anaesthesist 2011;60:334-342

**Atemwegsverlegung nach traumatischen Abriss der Arteria thyroidea inferior.
Fulminanter Verlauf bei initial stabiler Patientin.**

Notfall + Rettungsmedizin 7/2011
Hassling, A. Kalenka, C. Gernoth, H. Genzwürker

**Buchbeitrag:
in**

Anästhesie und Intensivmedizin bei Kindern, Hrsg Kretz und Becke

Postoperative Störung der respiratorischen Funktion
Anästhesie in der Kinderkardiochirurgie
Postoperative Störungen der Herz-Kreislauf-Funktion

**Kursbuch Notfallmedizin – orientiert am bundeseinheitlichen Curriculum
Zusatzbezeichnung Notfallmedizin**

M. Schroth, C. Gernoth
Notfälle in der Pädiatrie (inkl. Erstversorgung des Neugeborenen)“ (S. 776-842)